


Pole Top Hardware - Cross arms



3-Way Cross Arm

250mm 120 Deg
350mm 120 Deg
400mm 120 Deg




Witches Hat Trunnion Adaptor

Suit 76mm Spigot -GAL
Suit 600D Spigot - GAL or Black

4-Way Cross Arm

350mm 90 Deg
400mm 90 Deg

We also offer a 400mm and 800mm extension piece that mounts to any of our standard cross arms to provide 200mm and 400mm additional mounting space, each side, to create a 4-Way cross arm.



Cross Arm

400mm Available in GAL + Black
800mm Available in GAL + Black
1200mm Available in GAL + Black
1500mm Available in GAL + Black
1800mm Available in GAL
2400mm Available in GAL
2800mm Available in GAL
3000mm Available in GAL
3200mm Available in GAL
3500mm Available in GAL

With the use of spigot adaptors or sleeves we can suit existing pole top spigots of various sizes

All cross arms can be coated to match the poles, for an additional fee.



Twin Vertical (TV) Spigots

500mm TV60 Spigots
600mm TV76 Spigots
800mm TV60 Spigots
1200mm TV60 Spigots
1800mm TV60 Spigots
1800mm TV76 Spigots





Single Outreach

Suits 760D or 600D pole top spigot
Option to present 340D, 420D, 480D and 600D for mounting 1 x light fitting.

4-Way Outreach

Suits 760D pole top spigot
Presents 600D for mounting
3x light fittings.




Double Outreach

Suits 760D or 600D pole top spigot
Option to present 340D, 420D, 480D and 600D for mounting 2 x light fittings.

3-Way Outreach 90 Degrees

Suits 760D pole top spigot
Presents 600D for mounting 3x light fittings.





With the use of spigot adaptors we can provide mounting options of 340D and 480D to suit individual light fitting requirements.

All outreaches can be coated to match the poles, for an additional fee.

3-Way Outreach 120 Degrees

Suits 760D pole top spigot
Presents 600D for mounting 3x light fittings.





Slip fitters

Slip fitters are commonly used when modifying pole heights to suit specific project requirements.

Available in the following configurations

SHS100-60 GAL & Black

SHS100-76 GAL & Black

SHS125-60 GAL & Black

SHS150-60 GAL



Sleeves

Sleeves are utilised when you have a smaller pole top spigot size and require a larger spigot size to mount the light fitting, cross arm or outreach.

Available in the following configurations:

Suit 34OD, presents 42OD

Suit 42OD, presents 60OD

Suit 48OD, presents 60OD

Suit 60OD, presents 76OD

Suit 76OD, presents 90OD



Spigot Adaptors

Spigot adaptors are utilised when you have a larger pole top spigot size and require a smaller spigot size to mount the light fitting.

Available in the following configurations:

Suit 42OD, presents 34OD

Suit 60OD, presents 34OD

Suit 60OD, presents 48OD


Suit 76OD, presents 48OD

Suit 76OD, presents 60OD (GAL or BLK)

Suit 90OD, presents 60OD (GAL or BLK)

Suit 100OD, presents 60OD

All spigot adaptors can be coated to match the poles, for an additional fee.



Wall mounts

Wall mount bracket to suit 1 x area light, available in the below sizes:

200mm long 42OD spigot

300mm long 42OD spigot

300mm long 60OD spigot Available in GAL and Black

400mm long 42OD spigot

400mm long 60OD spigot

1000mm long 60OD Spigot



Floodlighting mount.

Primarily used with our wall mount outreach range to allow a floodlight to mount instead of an area light.

Slips over 60OD spigot to present a 200mm flat plate.



Lightning Arrestor

Suits 76D spigot.

Available in 1m and 2m lengths




Camera Mount

Camera mount, suits 76OD pole top spigot and presents a 110 diameter plate for the mounting of 1 x CCTV Camera.

Available in GAL and Black

Caps

Caps are available to suit a number of different sized spigots. 40OD, 60OD, 76OD, 90OD, and SHS 100 are the most common sizes. We hold stock of both GAL and black and can coat to suit the pole, for an additional fee.



Solar Panel Outreach

90OD top spigot to suit 1 x Solar panel with a 500mm 34OD Single outreach to suit 1 x area light.